



mattex/woodec

PROPER CLEANING, MASKING AND SEALING

You have decided for a modern, high-quality mattex/woodec foil. **To ensure that you can enjoy it for a long time, please follow the instructions below:**

- › A damp cotton or microfibre cloth is usually sufficient for removing normal soiling. In the case of heavier soiling in conjunction with soapy water.
- › Depending on the degree of soiling, the use of special cleaning agents may be necessary. Please observe our product recommendations and cleaning instructions, which are based on internal tests by the foil manufacturer.
- › Do not clean in direct sunlight.
- › Always test the cleaning agent on a non-visible area before cleaning.
- › Always use a cotton or microfibre cloth for cleaning and do not use abrasive cleaning agents.
- › Always move the cleaning agent along the profile.
- › Do not use dry cleaning agents, but always moisten with the recommended cleaning agents.
- › After cleaning, rinse the cleaning surface with plenty of warm water and then wipe completely dry.
- › Improper use of cleaning agents and cleaning aids can lead to the destruction of the film.



Due to the mattness of the film, not all adhesives, sealants, etc. will adhere. We recommend the following products:

PLASTERING MOULDINGS

Würth *	0519....
Protector *	3712/0324
3ks *	ZB88R52LF4533/060

*without Primer

SEALINGS

Triflex	Triflex ProDetail (pre-treatment with Triflex cleaner)
Otto Chemie	Ottoseal S 120 Ottoseal M 360 Ottoseal S 730 In each case in conjunction with Clean Primer 1101 oder 1226
SODAL	Silirub+ S8100 Silirub Pro W Silirub Pro N Soudaseal 215LM Acryrub SWS Acryrub Pro W Soudaband Pro BG-1 SWS inside Extra SWS outside Extra Each with Soudal Surface Activator

ADHESIVE TAPES


Vito-Irmen	Vitomount S1901 Vitomount SSPR30 Vitomount S031
Lohmann	duplocoll 5110

RECOMMENDED POWDERS *

Colour code	Designation	Foli no.	Tiger	IGP	Axalta	Warema
JT	mattex Jet Black	F4766062			AE0305-4901120 AE0305-4900520	2009405
MI	mattex DB 703	F4701014	68 / 80248	591TU71386A10		2016123
MV	mattex Quarzgrau	F4706047		591TA71982R10		
MW	mattex Fenstergrau	F4706066	68 / 71412	561MA70400A10		833336
NC	mattex Shine white aluminium	F4701032	29 / 90316	591TE7A107R1000		
ND	mattex Shine dark graphite	F4761033		591TE7A112R10		
NF	mattex Shine beige	F4701028		591TE14542R1F00		
NG	mattex Shine deep bronze	F4701029		591TE84406R1000		
NH	mattex Shine grey aluminium	F4701031	29 / 71725	51TE7A109R1000		
UA	mattex Anthrazitgrau	F4706003	68 / 70190 29 / 71289			824920
UE	mattex Basaltgrau	F4706048			AE0305-7701220	2008198
UF	mattex Umbragrau	F4706065	68 / 72536			2048840
UO	mattex (Pyrite) brushed gold	F4701027				
UQ	mattex S-Bronze	F4766055	68 / 72537			
UV	mattex Verkehrsweiß	F4706030	68 / 10079		AE0305-9901620	824922

Please note: this is a recommendation from our aluminium coater. We always recommend checking with a foil or profile sample!

CLEANING

Weiss Chemie	CL 360.110 CL 360.170 CL 360.180 CL 300.150	<p>Please be sure to follow the manufacturer's recommendations for use.</p> <p>For contaminants not listed here, please refer to the film manufacturer's cleaning recommendations: https://continental-ssl.mediavalet.com/portals/Reinigungsempfehlung_ExteriorFilms</p> 
Ika Chemie	Planofix HB	
Heinrich König	Ökoreiniger	
Fenoplast	Fenosol S20	
SOUDAL	Bauschaumentferner	

profine GmbH
Kömmerling

Zweibrücker Straße 200
66954 Pirmasens
Tel. +49 6331 56-0
E-Mail: info@koemmerling.com

www.koemmerling.com

